## K. YODA, ET AL JP919890248

## REPLACEMENT SHECT




FIG.1 (PRIOR ART)

## 217 JP919990248




FIG.2

JP919990248





FIG.3

4/7 JA919990248



## JA919990248


FIG.6

0 1 2 3	4 5 6 7	8 9 10 11 12 13 14 15	16 17 18	19 20 21 22 23	24 25 26 27 28 29 30 31							
VERSION	HT.	TYPE-OF-SERVICE	TOTALLENGTH									
	IDENTIF	ICATION .	FLAGS FRAGMENT OFFSET									
TIMET	OLIVE	PROTOCOL:	HEADER CHECKSUM									
	SOURCE ADDRESS											
DESTINATION ADDRESS												
	PADDING											

FIG.7

0 1 2	3 4 5 1	6 7	8	9	10	11	12	2 13	14	15	1	81	7 11	B 1	9 2	202	1 2	22	23	24	25	26	27	28	29	30	31
SOURCE PORT								DESTINATION PORT														•					
SEQUENCE NUMBER																											
ACKNOWLEDGEMENT NUMBER																											
DATA OFFSET	RESE	RVE	Đ		URG	ACK	S	PIRSF SSYII WINDOW HINN																			
CHECKSOM							,	URGENT POINTER																			
OPTIONS								PADDING																			
DATA																											
												_															

6/7 JA919990248



TRANSMISSION/
RECEPTION
CONTROLLER
91

COMPARISON
DETERMINER
95

COMPARISON AND
DETERMINATION
PROGRAM

92

10 05 08:13a

9149621973

111 JA919990248

